Physician Owners:
Cary L. Gentry, MD, FACS, FASCRS
Paul D. Charron, MD, FACS
Andrew J. Vorenberg, MD, FACS
Peter E. Miller, MD, FACS, FASCRS
Joseph J. Coury, MD, FACS, FASCRS
Kathryn E. Chuquin, MD

CLENPIQ Split Dosing Instructions

| Procedure Date/Time: | |
|------------------------|--|
| Procedure Location: | |
| Arrival Time/Location: | |

THE DAY BEFORE THE PROCEDURE

You may have regular breakfast and lunch until 1:00pm then remain on clear liquids the remainder of the day. Clear liquids DO NOT include ALCOHOL. Any of the following clear liquids are OK:

- Water
- Strained fruit juices (without pulp) including apple, white grape, or white cranberry
- Gatorade (NO RED, ORANGE, OR PURPLE)
- Diet and regular soft drinks (NO RED, ORANGE, OR PURPLE)
- Coffee or tea (DO NOT use any dairy or non-dairy creamer)
- Chicken broth and/or Beef broth
- Jell-O (NO RED, ORANGE, OR PURPLE) and Popsicles (NO RED, ORANGE, OR PURPLE)

FOLLOW THESE PREP INSTRUCTIONS ONLY – DO NOT FOLLOW THE INSTRUCTIONS ON THE PREP BOX/CONTAINER!

First Dose:

At 6:00 PM – Drink 1 bottle of the Clenpiq solution. <u>DO NOT</u> mix with anything. After drinking the solution, fill the cup (included in the kit) to the fill line and drink a minimum of 5 cups of any CLEAR LIQUIDS listed above. Drink the 5 cups of clear liquids at a pace that is comfortable for you. We recommend you drink as much clear fluids as you can tolerate for better cleansing and to keep you hydrated.

THE MORNING OF YOUR PROCEDURE

| At | AM – Drink the 2 nd bottle of the Clenpiq solution. DO NOT mix with anything. |
|----|--|
| • | After drinking the solution, you must drink a minimum of 3 cups of any CLEAR LIQUIDS listed above |
| | and continue drinking approved clear fluids until four (4) hours prior to your procedure. |

- You may NOT have anything by mouth 4 hours prior to your procedure except pre-approved medications or your procedure will be canceled! This includes chewing gum, hard or soft candy, tobacco, etc. You must be done with the entire prep including clear fluids prior to
- Take only pre-approved medications with a sip of water. Patients scheduled at the hospital should follow the facility's medication instructions when provided.
- Bring insurance card(s). Leave valuables at home.
- YOU MUST HAVE an adult family member or friend available to take you to, remain on premises during, and take you home after the procedure.
- YOU ARE NOT PERMITTED TO DRIVE 12 HOURS FOLLOWING YOUR PROCEDURE.

SURGICAL & COLONOSCOPY PROCEDURES CANCELED OR RESCHEDULED WITH LESS THAN 5 BUSINESS DAYS NOTICE WILL INCUR A \$100 FEE.

7504 Right Flank Road